

QUALITY. PERFORMANCE. PRICE.

RK
TRACTORS



SEE RK TRACTORS PUT TO WORK
FOLLOW US ON FACEBOOK AT *RK TRACTORS!*

Find us on 



2021 FULL LINE

VISIT RKTRACTORS.COM

ZERO DOWN PAYMENT FINANCING AVAILABLE

TEXT **APPLY15** TO **44344** FOR MORE INFORMATION. STANDARD TEXT/DATA RATES MAY APPLY.

QUALITY. PERFORMANCE. PRICE.



A FULL LINE OF PREMIUM-SPEC, LOW PRICE TRACTORS FROM 21 TO 74HP



At Rural King, we are our customer. We use the same products that we offer to our customers on our own farms, at our homes and on our rural lands. We tend to our fields, horses, livestock, dairy cows and poultry. We bale hay, create food plots, smooth out arenas, grade our country roads and cut our pastures. Just as you do, we live and love the rural lifestyle.



THE RK TRACTORS STORY - FROM A CENTURY OF FARM EXPERIENCE

The Melvin/Speer family has been farming for over five generations, and we raise a variety of crops in different regions of our great country. From corn and soybeans in central Illinois to citrus trees in the heart of Florida, farming is in our blood. For us, farm life includes early mornings and late nights in all seasons. Checking on lambs being born in February and harvesting beans late into the night in October. Collecting eggs every morning and milking cows every evening. Complaining about rain in May and praying for rain in July. After all the hard work, however, watching the whole family come together to help with harvest makes it all worth it. The smiles on the faces of our local church and 4-H groups after a hayride in the fall tell us all we need to know about the meaning of community.

Having worked with most of the major tractor brands over the years, we know what quality equipment looks like and how it should perform, and more importantly, we know what quality service looks like, too. It is through that understanding that we have partnered

with top manufacturers to create what we believe is the very best value in farm equipment. Every RK Tractor, from our 21HP and 24HP sub-compacts to our 74HP, turbo-charged utility models, offers best-in-class features and performance at the lowest prices. We buy direct, and we sell direct, which allows us to pass along substantial savings to our customers. And we back it up with the industry's best limited warranty and outstanding parts & service support at every Rural King store where RK Tractors are sold.

Since 1960, millions of Rural King customers have trusted our family and our associates to offer the very best value and widest selection of farm and home equipment and supplies. RK Tractors follows that tradition, and we are confident that there is no better value in compact tractors and implements.

Alex Melvin, CEO



RK55SC TRACTOR

RK DIFFERENCE



QUALITY.
PERFORMANCE.
PRICE.

Every RK Tractor features 4WD and comes fully-loaded. You won't pay extra for things like rear remotes, work lights, draft control, audio systems & rear wipers (cab models) or an upgraded seat because the things that are optional with other brands come standard with ours. We even include Rim Guard liquid tire ballast in the rear tires of every 25, 37, 55 and 74HP tractor sold with a loader. And since we buy directly from the tractor manufacturer, we pass on substantial savings to our customers. The combination of a better tractor offered at a lower price presents tremendous value.

All 21-55HP RK Tractors come with a 2-year full-machine limited warranty and an industry leading 8-year powertrain limited warranty (5-year powertrain limited warranty for 74HP) - parts & labor included, with no deductible. No tractor brand offers a better warranty. We want our customers to have confidence that RK Tractors are of the highest quality and that we will stand behind them. We've got your back.

8YEAR
LIMITED POWERTRAIN
WARRANTY



We recognize that tractor owners expect and deserve great repair and maintenance services. We perform routine service and maintenance at every Rural King store that offers RK Tractors, and common parts are stocked in our RK Tractor stores, if you prefer to do the work yourself. We've also added experienced mobile techs who can come to you for quick repairs or service in the field, to get you back on task quickly.*

SERVICE
AFTER
THE SALE



*Mobile service may require an additional fee

WHO MAKES THE TRACTOR?

Our tractors are made by TYM, the largest tractor manufacturer in South Korea and manufacturers of tractors sold in the U.S. under other leading tractor brands. Engines for the RK21-RK55 are made by Yanmar, and the RK74 engines are made by Deutz, all EPA Tier 4 compliant. Final assembly takes place in Waverly, OH, Williston, FL, and Vandalia, IL. Many tractor buyers don't realize that many tractors under 60HP sold in the U.S. originate from outside the U.S., including those of all of the top selling brands. The RK by King Kutter 3-pt. implements are made by Winfield, AL based King Kutter, and our tires & wheels are made by Midwest based Titan International.

WHERE CAN I HAVE IT SERVICED?

We perform all the service and maintenance in every Rural King store that offers RK Tractors. We have already been servicing small engine equipment in the shops located at every Rural King store. For RK Tractor stores, we've added an experienced tractor technician and have provided all the tools needed to perform any repair. We stock a complete inventory of spare parts at our distribution centers, and if you need a part we don't have in stock here at the store, we can quickly get it to our shops.

DO YOU OFFER FINANCING?

Yes, we offer zero-down-payment financing for up to 84 months through RK Finance, a partnership with Huntsville AL-based Redstone Federal Credit Union. Loan applications can be submitted directly by our customers 24/7, from anywhere and from any connected device, or at any RK Tractors store location.

WHAT IS THE WARRANTY?

Our 21-55HP tractors come with a 2-year full machine limited warranty and 8-year, 3000-hour powertrain limited warranty and our 74HP tractors come with a 2-year full machine and 5-year, 3000-hour powertrain warranty. Our limited warranty has no deductible and includes parts & labor. Other tractor brand warranties may have deductibles and may only cover parts and may not cover all models. We can proudly say that our powertrain limited warranty is the industry's best, most comprehensive warranty.*

DO YOU DELIVER?

Yes, we can deliver your tractors and implements to your location for a fee based upon distance. As another option, we offer perfectly matched transport trailers and associated hitch equipment that can be included in the financing with your tractor purchase. Having a trailer gives you the option to easily move your equipment between locations.

HOW DO I KNOW THAT YOU ARE GOING TO STAY IN THE TRACTOR BUSINESS?

To begin with, we put our name on the tractors, which is a big statement of our pride in this product and that shows that we are committed for the long haul. We have invested heavily in the people and infrastructure necessary for assembling the equipment, helping customers select the right equipment and servicing the tractors. Since we are a company made up of people that have owned and used tractors for many generations, we know what it takes to earn and keep our customer's trust.

HOW CAN YOU OFFER RK TRACTORS AT SUCH LOW PRICES?

Since we are buying directly from the tractor manufacturer, we can pass our savings along to you. You'll see that we offer more power for a lower price than any of the other brands in the sub-compact, compact and light utility classes. We enthusiastically and confidently invite you to compare any RK Tractor with any other tractor with respect to price and performance.

RK21H TRACTOR



HYDROSTATIC

The RK21H hydrostatic series tractor packs plenty of power in a small package. Easy to operate and perfect for a wide range of property maintenance applications, plus all of those big projects that you've always wanted to complete, but never had the right equipment to help make it happen. With an RK21H hydrostatic tractor, your only limit is your imagination.

- Powerful Yanmar EPA Tier 4 certified 3-cylinder, liquid cooled 21.5HP diesel engine
- Easy to operate 2-range hydrostatic transmissions
- 4WD with differential lock
- Category I 3-pt. hitch
- Foldable rollover protection structure (ROPS)
- Hydrostatic power steering and easy-to-use operator controls
- Full range of performance-matched attachments and implements, including loaders, mid-mount mowers and a complete selection of 3-pt equipment
- Available with either R3 Turf (opt.), R4 Industrial (std.) or R14T Hybrid (opt.) Tires
- Industry-leading 8-year powertrain warranty




RKSERVICE
WE SERVICE
WHAT WE SELL

COMPARE US TO THE COMPETITION*

*See page 24 (Back Cover) for details



	Kubota BX1880	RK Tractors RK21H
Engine Make/Model	Kubota D722 EPA Tier IV	Yanmar 3TNV74F EPA Tier IV
Gross Engine HP	18	21.5
PTO HP	13.7	15.4
Transmission	2-Range Hydrostatic	2-Range Hydrostatic
3-Point Hitch	Category 1	Category 1
PTO	Independent/540/2500 RPM	Independent/540/2500 RPM
Tire Options	R3, Bar	R3, R4
STANDARD TRACTOR WARRANTY		
Standard Full Machine Warranty	2 Years or 1500 Hours	2 Years or 2000 Hours
Standard Powertrain Warranty	6 Years or 2000 Hours	8 Years or 3000 Hours
FRONT-END-LOADER SPECIFICATIONS		
Loader Model	LA344s	L72
Max Lift Height	71"	72"
Quick-Attach Coupler	Skid Steer Compatible	Skid Steer Compatible
Lift Capacity to Full Height - Bucket Pivot Pin (lbs)	613	617
Breakout Force (lbs)	901	1,190
Number of Bucket Cylinders	1	2
ADDITIONAL CHARGES		
Freight	?	Included
Assembly	?	Included
PRICE		
MSRP - Equipped As Standard RK Model	See Dealer	See Dealer
Selling Price- Tractor and Loader	See Dealer	See Dealer



L72 LOADER

Max Lift Height	Lift Capacity to Max Height	Breakout Force	Bucket Capacity
72"	617 lbs	1,190 lbs	4.9 Cu. Ft.

SEE ATTACHMENTS AND IMPLEMENTS SECTION FOR MID-MOWER AND 3-PT EQUIPMENT

RK24H TRACTOR



SUB-COMPACT

The RK24H is our “little tank” in our sub-compact line, with the power to do the work of larger tractors. Its 3-cylinder Yanmar diesel engine and 2-range hydrostatic transmission give you the perfect combination of performance and simplicity, ready to tackle any job. Our full subframe mount backhoe is the most powerful and toughest in its class and features a range of bucket size choices in addition to the standard 12” bucket. Mechanical thumb comes standard on all RK backhoes.

- Powerful Yanmar EPA Tier 4 certified 3-cylinder, liquid cooled 24HP diesel engine
- Easy to operate 2-range hydrostatic transmission and auto-throttle
- 4WD with differential lock
- Category I 3-pt. hitch
- Open station with foldable rollover protection structure (ROPS) or fully-enclosed premium cab with heat, front and rear work lights, rear wiper
- Hydrostatic power steering and easy-to-use operator controls
- One set rear hydraulic remotes standard
- Full range of performance-matched attachments and implements, including loaders, mid-mount mowers, the most powerful backhoe in its class and a complete selection of 3-pt equipment
- Easy to access servicing points make the RK24H very easy to maintain
- Available with either R1 Ag (opt.), R3 Turf (opt.), R4 Industrial (std.) or R14T Hybrid (opt.) Tires
- Industry-leading 8-year powertrain warranty
- Available BH6.5 backhoe with 12” bucket and thumb standard. Available 60” mid-mount mower

RK24H with G54 Granite Grapple and BH6.5 Backhoe



**YOUR ONLY
LIMIT
IS YOUR
IMAGINATION**

COMPARE US TO THE COMPETITION*

*See page 20 (Back Cover) for details



	John Deere 1025R	Kubota BX23SLB-R	RK Tractors RK24
Engine Make/Model	Yanmar 3TNV80F EPA Tier IV	Kubota D902 EPA Tier IV	Yanmar 3TNV80F EPA Tier IV
Gross Engine HP	24	23	24
PTO HP	18	17.7	18.8
Transmission	2-Range Hydrostatic	2-Range Hydrostatic	2-Range Hydrostatic
3-Point Hitch	Category 1	Category 1	Category 1
PTO	Independent/540/2100 RPM	Independent/540/2500 RPM	Independent/540/2000 RPM
Tire Options	R3, R4	R3, R4	Titan - R3, R4
TRACTOR FEATURES			
Cruise Control	Standard	Standard	Standard
Rear Remote Valves	Optional - Additional Cost	Optional - Additional Cost	1 Set Standard
Rear Work Light	Optional - Additional Cost	Optional - Additional Cost	Standard
Three Point Hitch	Standard	Optional - Additional Cost	Standard
STANDARD TRACTOR WARRANTY			
Standard Tractor Full Machine Warranty	2 Years or 2000 Hours	2 Years or 1500 Hours	2 Years or 2000 Hours
Standard Tractor Powertrain Warranty	6 Years or 2000 Hours	6 Years or 2000 Hours	8 Years or 3000 Hours
FRONT-END-LOADER SPECIFICATIONS			
Loader Model	120R	LA344s	L75
Max Lift Height	72"	71"	75"
Quick-Attach Coupler	Deere Proprietary	Skid Steer Compatible	Skid Steer Compatible
Lift Capacity to Full Height - Bucket Pivot Pin (lbs)	754	613	947
Breakout Force (lbs)	1,320	901	1,285
Number of Bucket Cylinders	2	1	2
BACK-HOE SPECIFICATIONS			
Backhoe Model	260B	BT603	BH6.5
Max Digging Depth	74"	73"	77"
Mechanical Thumb	Optional - Additional Cost	Optional - Additional Cost	Standard
Bucket Cylinder Digging Force	2,036	1,936	2,050
Dipperstick Digging Force	1,187	1,171	1,256
Bucket Widths	8", 12", 16"	8", 12", 16"	12" STD (9", 14", 16" Optional)
ADDITIONAL CHARGES			
Freight	?	?	Included
Assembly	?	?	Included
PRICE			
MSRP - Equipped As Standard RK Model	See Dealer	See Dealer	See Dealer
Selling Price with Loader	See Dealer	See Dealer	See Dealer



Rear Remotes Standard



Optional Cab



BH6.5 Backhoe with Standard Thumb

SEE ATTACHMENTS AND IMPLEMENTS SECTION FOR MID-MOWER, BACKHOE, AND 3-PT EQUIPMENT

RK25H TRACTOR



SUB-COMPACT

The RK25H is at the top of our sub-compact tractor line, with the power to do the work of larger tractors. Its 3-cylinder Yanmar diesel engine and 2-range hydrostatic transmission give you the perfect combination of performance and simplicity, ready to tackle any job. Our full subframe mount backhoe is the most powerful and toughest in its class and features a range of bucket size choices in addition to the standard 12" bucket. Mechanical thumb comes standard on all RK backhoes.

- Powerful Yanmar EPA Tier 4 certified 3-cylinder, liquid cooled 24.7HP diesel engine
- Easy to operate 2-range hydrostatic transmission and auto-throttle
- 4WD with differential lock
- Category I 3-pt. hitch
- Foldable rollover protection structure (ROPS)
- Hydrostatic power steering and easy-to-use operator controls
- One set rear hydraulic remotes standard
- Full range of performance-matched attachments and implements, including loaders, mid-mount mowers, the most powerful backhoe in its class and a complete selection of 3-pt equipment
- Easy to access servicing points make the RK25H very easy to maintain
- Rimguard™ liquid tire ballast standard in rear tires when purchased with loader
- Available with either R1 Ag (opt.), R3 Turf (opt.), R4 Industrial (opt.) or R14T Hybrid Tires (std.)
- Industry-leading 8-year powertrain warranty
- Available BH6.7 backhoe with 12" bucket and thumb standard. Available 60" mid-mount mower



WE SERVICE WHAT WE SELL

COMPARE US TO THE COMPETITION*




*See page 20 (Back Cover) for details

	John Deere 1025R	Kubota BX23SLB-R	RK Tractors RK25H
Engine Make/Model	Yanmar 3TNV80F EPA Tier IV	Kubota D902 EPA Tier IV	Yanmar 3TNV80F EPA Tier IV
Gross Engine HP	24	23	24.7
PTO HP	18	17.7	18.3
Transmission	2-Range Hydrostatic	2-Range Hydrostatic	2-Range Hydrostatic
3-Point Hitch	Category 1	Category 1	Category 1
PTO	Independent/540/2100 RPM	Independent/540/2500 RPM	Independent/540/2000 RPM
Tire Options	R3, R4	R3, R4	R1, R3, R4, R14
TRACTOR FEATURES			
Cruise Control	Standard	Standard	Standard
Rear Remote Valves	Optional - Additional Cost	Optional - Additional Cost	1 Set Standard
Rear Work Light	Optional - Additional Cost	Optional - Additional Cost	Standard
Three Point Hitch	Standard	Optional - Additional Cost	Standard
STANDARD TRACTOR WARRANTY			
Standard Tractor Full Machine Warranty	2 Years or 2000 Hours	2 Years or 1500 Hours	2 Years or 2000 Hours
Standard Tractor Powertrain Warranty	6 Years or 2000 Hours	6 Years or 2000 Hours	8 Years or 3000 Hours
FRONT-END-LOADER SPECIFICATIONS			
Loader Model	120R	LA344s	L85
Max Lift Height	72"	71"	87"
Quick-Attach Coupler	Deere Proprietary	Skid Steer Compatible	Skid Steer Compatible
Lift Capacity to Full Height - Bucket Pivot Pin (lbs)	754	613	1,380
Breakout Force (lbs)	1,320	901	2,059
Number of Bucket Cylinders	2	1	2
BACK-HOE SPECIFICATIONS			
Backhoe Model	260B	BT603	BH6.7
Max Digging Depth	74"	73"	80.7"
Mechanical Thumb	Optional - Additional Cost	Optional - Additional Cost	Standard
Bucket Cylinder Digging Force	2,036	1,936	2,844
Dipperstick Digging Force	1,187	1,171	1,874
Bucket Widths	8", 12", 16"	8", 12", 16"	12" STD (9", 16", 18", 24" Optional)
ADDITIONAL CHARGES			
Freight	?	?	Included
Assembly	?	?	Included
PRICE			
MSRP - Equipped As Standard RK Model	See Dealer	See Dealer	See Dealer
Selling Price with Loader	See Dealer	See Dealer	See Dealer



Wireless Phone Charger



Standard Rear Remotes



LED Work Lights & Bluetooth Speakers

SEE ATTACHMENTS AND IMPLEMENTS SECTION FOR MID-MOWER, BACKHOE, AND 3-PT EQUIPMENT

RK37 SERIES



The RK37 Compact series tractors provide plenty of power for those big chores around the farm, larger scale landscaping applications, creating and maintaining food plots, equine management operations or easily handling large round hay bales. Heavy for its class, this is no stripped-down economy tractor; all of the premium features are standard on all RK37 tractor models.

- Powerful Yanmar EPA Tier 4 certified 3-cylinder, liquid cooled 37HP diesel engine
- Available in either 12F/12R shuttle-shift or 3-range hydrostatic transmission with auto-throttle
- Open station, or fully-enclosed cab with heat/AC, front and rear work lights, rear wiper, audio system standard
- Work lights and rear remotes standard on all models
- 4WD with differential lock, category I 3-pt. hitch with telescoping hitch arms
- Foldable rollover protection structure (ROPS) on open station models
- Easy to access service points help make routine maintenance a breeze
- Hydrostatic power steering and easy-to-use operator controls
- Full range of performance-matched attachments and implements, including quick-attach, skid steer compatible front-end-loaders and the most powerful backhoes in its class
- Rimguard™ liquid tire ballast standard in rear tires when purchased with loader
- Available with R1 Ag, R3 Turf and R4 Industrial or R14T Hybrid Tires
- Industry-leading 8-year powertrain warranty
- Available BH7.5 backhoe with 16" bucket and thumb standard



COMPACT, BUT NOT WIMPY

COMPARE US TO THE COMPETITION*

*See page 20 (Back Cover) for details



	John Deere 3039R	Kubota L3560HSTC	RK Tractors RK37HC
Engine Make/Model	Yanmar 3TNV86CT EPA Tier IV	Kubota D1803CRE4GL2/GL3 EPA Tier IV	Yanmar 3TNV88CR EPA Tier IV
Gross Engine HP	38.7	37	37.4
PTO HP	31.1	28	28.8
Transmission	3-Range Hydrostatic	3-Range Hydrostatic	3-Range Hydrostatic
3-Point Hitch	Category 1	Category 1	Category 1
PTO	Independent/540 RPM	Independent/540 RPM	Independent/540 RPM
Tire Options	R1, R3, R4	R1, R3, R4	Titan - R1, R3, R4 or Goodyear R14T
TRACTOR & CAB FEATURES			
Cruise Control	Standard	Standard	Not Available
Heat/AC	Standard	Standard	Standard
Rear Remote Valves	Optional - Additional Cost	Optional - Additional Cost	1 Set Standard
Swinging Drawbar	Optional - Additional Cost	Optional - Additional Cost	Standard
Front & Rear Work Lights	Optional - Additional Cost	Optional - Additional Cost	Standard
Rear Wiper	Optional - Additional Cost	Optional - Additional Cost	Standard
Bluetooth Audio System	Optional - Additional Cost	Optional - Additional Cost	Standard
STANDARD TRACTOR WARRANTY			
Standard Tractor Full Machine Warranty	2 Years or 2000 Hours	2 Years or 1500 Hours	2 Years or 2000 Hours
Standard Tractor Powertrain Warranty	6 Years or 2000 Hours	6 Years or 2000 Hours	8 Years or 3000 Hours
FRONT-END-LOADER SPECIFICATIONS			
Loader Model	320R	LA805	L102
Max Lift Height	102"	105"	102"
Lift Capacity to Full Height - Bucket Pivot Pin (lbs)	1,598	1,720	2,116
Breakout Force (lbs)	3,327	3,301	3,435
Quick Attach/Connect Type Bucket	STD - Deere Quik-Change Type	STD - Quick Attach Type	STD - Quick Attach Type
Tractor Ballast	OPT	OPT	Rim Guard Liquid Tire Ballast - STD
ADDITIONAL CHARGES			
Freight	?	?	Included
Assembly	?	?	Included
PRICE			
MSRP- Equipped As Standard RK Model	See Dealer	See Dealer	See Dealer
Selling Price- Tractor and Loader	See Dealer	See Dealer	See Dealer



L102 LOADER

Max Lift Height	Lift Capacity to Max Height	Breakout Force	Bucket Capacity
102.3"	2,116 lbs	3,435 lbs	10.4 Cu. Ft.

SEE ATTACHMENTS AND IMPLEMENTS SECTION FOR BACKHOE AND 3-PT EQUIPMENT

RK55 SERIES



The RK55 Compact/Utility series high-performance, turbocharged 55HP tractor can handle just about anything that comes its way. Full-featured right out of the factory, these tractors come loaded with standard features only available as optional equipment on other tractor brands

- Powerful Yanmar EPA Tier 4 certified 4-cylinder, turbocharged 55HP diesel engine
- Your choice; either a 16F/16R shuttle-shift transmission with creeper gear or 3-range hydrostatic transmission
- Open station with foldable rollover protection structure (ROPS) or fully-enclosed premium cab with heat/AC, front and rear work lights, rear wiper, audio system standard
- Industry-leading 8-year powertrain limited warranty
- 4WD with differential lock
- Available with R1 Ag, R3 Turf, R4 Industrial or R14T Hybrid Tires
- Rimguard™ liquid tire ballast standard in rear tires when purchased with loader
- Category I 3-pt. hitch with telescoping hitch arms, draft control standard
- Hydrostatic power steering and easy-to-use operator controls
- Full range of performance-matched attachments and implements, including quick-attach, skid steer compatible front-end-loaders and the most powerful backhoes in its class
- Available BH8.5 backhoe with 18" bucket and thumb standard
- Work lights and two sets of rear remotes standard on all models
- Hydrostatic transmission features auto-throttle, cruise control, stall guard and response sensitivity control

RK55 Shuttle Shift with BH8.5 Backhoe



RK55SC Cab Shuttle Shift w/ Loader



WE SERVICE WHAT WE SELL

COMPARE US TO THE COMPETITION*



*See page 20 (Back Cover) for details

	John Deere 4052R	Kubota L5460HSTC	RK Tractors RK55HC
Engine Make/Model	Yanmar 3TNV86CT EPA Tier IV	Kubota D1803CRE4GL2/GL3 EPA Tier IV	Yanmar 4TNV86T-CR EPA Tier IV
Gross Engine HP	51.5	56	55.1
Aspiration	Turbocharged	Turbocharged	Turbocharged
PTO HP	41.2	46.5	42.2
Transmission	3-Range Hydrostatic	3-Range Hydrostatic	3-Range Hydrostatic
3-Point Hitch	Category 1	Category 1	Category 1
PTO	Independent/540 RPM	Independent/540 RPM	Independent/540 RPM
Tire Options	R1, R3, R4	R1, R3, R4	Titan - R1, R3, R4, or Goodyear R14T
TRACTOR & CAB FEATURES			
Cruise Control	Standard	Standard	Standard
Heat/AC	Standard	Standard	Standard
Rear Remote Valves	Optional - Additional Cost	Optional - Additional Cost	2 Sets Standard
Swinging Drawbar	Optional - Additional Cost	Optional - Additional Cost	Standard
Front & Rear Work Lights	Optional - Additional Cost	Optional - Additional Cost	Standard
Rear Wiper	Optional - Additional Cost	Optional - Additional Cost	Standard
Bluetooth Audio System	Optional - Additional Cost	Optional - Additional Cost	Standard
STANDARD TRACTOR WARRANTY			
Standard Tractor Full Machine Warranty	2 Years or 2000 Hours	2 Years or 1500 Hours	2 Years or 2000 Hours
Standard Tractor Powertrain Warranty	6 Years or 2000 Hours	6 Years or 2000 Hours	8 Years or 3000 Hours
FRONT-END-LOADER SPECIFICATIONS			
Loader Model	440R	LA1055	L110
Max Lift Height	111"	112.7"	109.1"
Lift Capacity to Full Height - Bucket Pivot Pin (lbs)	1,857	2,361	2,478
Breakout Force (lbs)	3,076	4,074	4,938
Quick-Attach Coupler	Deere Proprietary	Skid Steer Compatible	Skid Steer Compatible
Tractor Ballast	Not Included	Not Included	Rim Guard Liquid Tire Ballast - STD
ADDITIONAL CHARGES			
Freight	?	?	Included
Assembly	?	?	Included
PRICE			
MSRP - Equipped As Standard RK Model	See Dealer	See Dealer	See Dealer
Selling Price	See Dealer	See Dealer	See Dealer



- All RK55 tractors are loaded with standard features, no need to purchase expensive options to make your tractor complete

- Choose between open station and fully enclosed cab models



L110 LOADER

Max Lift Height	Lift Capacity to Max Height	Breakout Force	Bucket Capacity
109.1"	2,478 lbs	4,938 lbs	11.2 Cu. Ft.

SEE ATTACHMENTS AND IMPLEMENTS SECTION FOR BACKHOE AND 3-PT EQUIPMENT

RK74 SERIES



The RK74 Utility tractor is the perfect fit for your hay & forage, dairy, field and material handling needs. It features a powerful 74HP turbocharged Deutz 4-cylinder engine, and a 16F/16R power shuttle transmission with creeper interlock. Teamed with the L135SL self-leveling loader you will be able to tackle any job around the farm.

- RK74PSC - Power Shuttle Cab Tractor
- 74HP turbocharged Deutz EPA Tier 4 certified 4-cylinder diesel engine"
- 16F/16R power shuttle with creeper interlock
- 64.1 PTO HP 540/540E RPM
- Hitch lift capacity: 5,115 lbs., 3414 lbs. 24 in. behind link ends
- Premium Cab Heat/AC/Bluetooth audio/rear wiper, front & rear work lights standard
- Rimguard™ liquid tire ballast standard in rear tires when purchased with loader
- 4WD, differential lock, Category 2 3-pt hitch
- Available skid-steer compatible quick attach, self-leveling loader
- Available R1 Ag and R4 Industrial tires
- Two-year full machine & five-year powertrain warranty



PLENTY OF MUSCLE

RK74PSC TRACTOR SPECIFICATIONS



RK74PSC TRACTOR

Engine Make/Model	Deutz TCD2.9 L4
Gross Engine HP	74
Aspiration	Turbocharged
PTO HP	64.1
Rated Engine Speed	2200
Number of Cylinders	4
Displacement cu. in.	177
Alternator	12V 95A
Fuel System Type	Common Rail Direct Injection
Full Tank Capacity US gallons	23.8

HYDRAULICS

Implement g/m	10.3
Steering g/m	5.8
Total Capacity g/m	16.1
Category, 3-Point Hitch	2
Hitch Lift Capacity, Lb	5115
At 24 inches behind link ends, lb.	3414
Lift Control Type	Position/Draft/Mech
Joy Stick & Joy Stick Valve	Standard
Draft Control	Standard

TRANSMISSION

Transmission Type	16F/16R Power Shuttle w/Creeper
Max Traveling Speed MPH	18.9
Brakes	Wet Disc
Cruise Control	Yes

POWER TAKE-OFF (PTO)

PTO Type	Independent
PTO Control	Electric/Hydro
PTO Rear (RPM)	540/540E
PTO Shaft Diamete mm	35

DIMENSIONS

Overall length, in.	157.5
Overall width, in.	76.4
Wheelbase, in.	86.1
Height to top of ROPS/Cab, in.	103.3
Min. ground clearance, in.	18.3
Total weight, lb.	6052

CAB FEATURES

Full HVAC - Heat & Air Conditioning	Standard
Audio System	Standard
Front & Rear Work Lights	Standard
Front & Rear Wipers	Standard

TIRES

R1 Agricultural	R4 - F 15-19.5 R 18.4-24
R4 Industrial	R1 - F 11.2-24 R 16.9-30
Tire & Wheel Manufacturer	Titan (USA)



3-pt Hitch Arm Control from Rear of Tractor




Available Self-Leveling Loader



Power Shuttle Transmission



74HP Turbocharged Deutz Diesel Engine



3-Set Remotes Standard

L135SL Self-Leveling Loader

Maximum Lift Height, in.	135.5
Lift Capacity to Max Height	3,223
Breakout Force	5,335
Bucket Capacity, cu/ft	13.8
Bucket Width, in.	84.0
Bucket Weight, lb.	399
Total Weight Loader w/Bucket, lb.	1,889
Bucket Level Indicator	Standard
Bucket Connection Type	Skid-steer compatible quick attach loader

TRACTOR SPECS*

	RK21H RK21 HYDROSTATIC	RK24H RK24 HYDROSTATIC	RK25H RK24 HYDROSTATIC	RK37S RK37 SHUTTLE SHIFT	RK37H RK37 HYDROSTATIC	RK37SC RK37 SHUTTLE SHIFT CAB
ENGINE						
Manufacturer/Model	Yanmar 3TNM74F	Yanmar 3TNV80F	Yanmar 3TNV80F	Yanmar 3TNV88-CR	Yanmar 3TNV88-CR	Yanmar 3TNV88-CR
Engine HP (kw) - Gross	21.5 (16)	24 (17.8)	24.7 (18.4)	37.4 (27.5)	37.4 (27.5)	37.4 (27.5)
PTO HP (kw)	15.4 (11.3)	18.8 (14.0)	18.3 (13.6)	30.2 (22.5)	28.8 (21.5)	30.2 (22.5)
Engine Rated Speed	3200	3000	3000	3000	3000	3000
Cylinder Engine	3	3	3	3	3	3
Displacement cu. in. (cc)	60.6 (993)	77.3 (1267)	77.3 (1267)	100.2 (1642)	100.2 (1642)	100.2 (1642)
Alternator	12V 40A	12V 40A	12V 40A	12V 55A	12V 55A	12V 70A
Fuel System	Indirect Fuel Injection	Indirect Fuel Injection	Direct Fuel Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection
Fuel Tank Capacity gal. (L)	6.6 (25)	5.81 (22)	6.6 (25)	9.0 (34)	9.0 (34)	9.0 (34)
HYDRAULIC						
Implement, g/m (l/m)	4.59 (17.4)	4.18 (15.8)	4.18 (15.8)	6.4 (24.4)	6.4 (24.4)	6.4 (24.4)
Steering, g/m (l/m)	2.11 (8)	2.77 (10.5)	2.77 (10.5)	4.6 (17.6)	4.6 (17.6)	4.6 (17.6)
Total Capacity, g/m (l/m)	6.71 (25.4)	6.95 (26.3)	6.95 (26.3)	11.0 (42.0)	11.0 (42.0)	11.0 (42.0)
Category, 3-Pt Hitch	1	1	I	1	1	1
Hitch Lift Capacity, lb (kg)	1100 (499)	1323 (600)	1534 (700)	2646 (1200)	2646 (1200)	2646 (1200)
Lift Capacity 2' behind link ends, lb (kg)	679 (308)	1058 (480)	1102 (500)	1764 (800)	1764 (800)	1764 (800)
Lift Control Type	Position	Position	Position	Position	Position	Position
Joy Stick & Loader Valve	Standard w/ Loader	Standard w/ Loader	Standard	Standard	Standard	Standard
Standard Remote Valves	n/a	1 Set	n/a	1 Set	1 Set	1 Set
Draft Control	n/a	n/a	n/a	n/a	n/a	n/a
TRANSMISSION						
Transmission Type	Hydrostatic - 2 Range	Hydrostatic - 2 Range	Hydrostatic - 2 Range	12F/12R Syncro Shuttle	Hydrostatic - 3 Range	12F/12R Syncro Shuttle
Max Travel Speed MPH (km/h)	8.4 (13.5)	11.2 (18.1)	13.7 (22.0)	15.0 (24.2)	16.8 (27)	15.0 (24.2)
Brakes	Wet Disc	Wet Disc	Wet Disc	Wet Disc	Wet Disc	Wet Disc
Cruise Control	No	Yes	Yes	No	Yes	No
POWER TAKE-OFF (PTO)						
PTO Type	Independent	Independent	Independent	Independent	Independent	Independent
PTO Control	Electric/Hydro	Electric/Hydro	Electric/Hydro	Electric/Hydro	Electric/Hydro	Electric/Hydro
Mid PTO (rpm)	2000	2000	2000	n/a	Option	n/a
Rear PTO (rpm)	540	540	540	540	540	540
DIMENSIONS						
Overall Length, in (mm)	94.2 (2394)	100.5 (2553)	107.8 (2740)	126 (3200)	126 (3200)	128 (3250)
Overall Width, in (mm)	44.5 (1130)	45.8 (1164)	52.8 (1342)	53.5 (1360)	53.5 (1360)	58.0 (1475)
Wheelbase, in (mm)	53.1 (1350)	57.5 (1460)	61.0 (1550)	64.5 (1640)	66.1 (1680)	64.5 (1640)
Height to top of ROPS, in (mm)	86.6 (2200)	91.3 (2320)	89.8 (2280)	94.5 (2400)	94.5 (2400)	92.5 (2350)
Minimum Ground Clearance, in (mm)	8.3 (210)	9.4 (240)	7.71 (196)	12.8 (325)	12.8 (325)	12.8 (325)
Total Weight, lb (kg)	1472 (668)	1610 (730)	1881 (853)	3020 (1370)	3020 (1370)	3417(1550)
TIRES						
Optional - R4 Titan (USA)	F 18x8.5-10 R 27x10.5-15	F 20x8-10 R 27x12.5-15	F 23x8.5-12 R12-16.5	F 10-16.5 R 43x16-20	F 10-16.5 R 43x16-20	F 10-16.5 R 43x16-20
Optional - R3 Titan (USA)	F 18x8.5-10 R 26x12-12	F 20x8-10 R 29x12.5-15	F 23x8.5-12 R 33x12.5-16.5	F 7-16 R 11.2x24	F 7-16 R 11.2x24	F 7-16 R 11.2x24
Optional - R1 Titan (USA)	n/a	F 6-12 R 9.5-16	F 7x12-6 R 11.2-16	F 28x8 5-15 R 41x14-20	F 28x8 5-15 R 41x14-20	F 28x8 5-15 R 41x14-20
Optional - R14 T Goodyear	F 18x8.5-10 R 26x12-12	F23x8.5-12 R12-16.5	F 25x8.5-14 R 14-17.5	F - 10-16.6 R - 43x16	F - 10-16.6 R - 43x16	F - 10-16.6 R - 43x16
CAB FEATURE						
Full HVAC - Heat & Air Conditioning	n/a	Optional - Heat Only	Optional - Heat Only	n/a	n/a	Standard
Audio System	n/a	n/a	Standard - Bluetooth Speakers	n/a	n/a	Standard
Front & Rear Work Lights	n/a	Standard with cab option	Standard with cab option	n/a	n/a	Standard
Front & Rear Wipers	n/a	Front Wiper only with cab option	Front Wiper only with cap option	n/a	n/a	Standard

RK37HC RK37 HYDROSTATIC CAB	RK55S RK55 SHUTTLE SHIFT	RK55H RK55 HYDROSTATIC	RK55SC RK55 SHUTTLE SHIFT CAB	RK55HC RK55 HYDROSTATIC CAB	RK74PSC RK74 POWER SHUTTLE CAB
Yanmar 3TNV88-CR	Yanmar 4TNV86T-CR	Yanmar 4TNV86T-CR	Yanmar 4TNV86T-CR	Yanmar 4TNV86T-CR	Deutz TCD2.9 L4
37.4 (27.5)	55.1 (41.1)	55.1 (41.1)	55.1 (41.1)	55.1 (41.1)	74 (55.4)
28.8 (21.5)	44.9 (33.5)	42.2	44.9 (33.5)	42.2 (31.5)	64.1 (47.8)
3000	2800	2800	2800	2800	2200
3	4	4	4	4	4
100.2 (1642)	127.6 (2091)	127.6 (2091)	127.6 (2091)	127.6 (2091)	177.0 (2900)
12V 70A	12V 70A	12V 70A	12V 70A	12V 70A	12V 95A
Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection
9.0 (34)	17 (60)	17 (60)	17 (60)	17 (60)	23.8 (90)
6.4 (24.4)	9.5 (36.1)	9.5 (36.1)	9.5 (36.1)	9.5 (36.1)	10.3 (39.1)
4.6 (17.6)	5.0 (19.0)	5.0 (19.0)	5.0 (19.0)	5.0 (19.0)	5.8 (22)
11.0 (42.0)	14.5 (55.1)	14.5 (55.1)	14.5 (55.1)	14.5 (55.1)	16.1 (61.1)
1	1	1	1	1	2
2646 (1200)	3314 (1503)	3314 (1503)	3314 (1503)	3314 (1503)	5115 (2320)
1764 (800)	2945 (1336)	2945 (1336)	2945 (1336)	2945 (1336)	3414 (1550)
Position	Position	Position	Position	Position	Positon/Draft/Mech
Standard	Standard	Standard	Standard	Standard	Standard
1 Set	2 Sets	2 Sets	2 Sets	2 Sets	2 Sets
n/a	Standard	Standard	Standard	Standard	Standard
Hydrostatic - 3 Range	16F/16R Syncro Shuttle w/ creeper	16F/16R Syncro Shuttle w/ creeper	16F/16R Syncro Shuttle w/ creeper	Hydrostatic - 3 Range	16F/16R Power Shuttle w/Creeper
16.8 (27)	18.4 (29.7)	18.4 (29.7)	18.4 (29.7)	17.9 (28.4)	18.9 (30.4)
Wet Disc	Wet Disc	Wet Disc	Wet Disc	Wet Disc	Wet Disc
Yes	No	Yes	No	Yes	Yes
Independent	Independent	Independent	Independent	Independent	Independent
Electric/Hydro	Electric/Hydro	Electric/Hydro	Electric/Hydro	Electric/Hydro	Electric/Hydro
Option	n/a	n/a	n/a	n/a	n/a
540	540	540	540	540	540/540E
128 (3250)	141.3 (3590)	141.3 (3590)	141.3 (3590)	141.3 (3590)	157.5 (4002)
58.0 (1475)	63.8 (1620)	63.8 (1620)	63.8 (1620)	63.8 (1620)	76.4 (1940)
66.1 (1680)	76.2 (1935)	76.2 (1935)	76.2 (1935)	76.2 (1935)	86.1 (2188)
92.5 (2350)	102.1 (2594)	102.1 (2594)	99.6 (2530)	99.6 (2530)	103.3 (2624)
12.8 (325)	13.8 (350)	13.8 (350)	13.8 (350)	13.8 (350)	18.3 (465)
3417 (1550)	3814 (1730)	3814 (1730)	4233 (1920)	4233 (1920)	6052 (2745)
F 10-16.5 R 43x16-20	F 12-16.5 R 16.9x24	F 12-16.5 R 16.9x24	F 12-16.5 R 16.9x24	F 12-16.5 R 16.9x24	F 15-19.5 R 18.4-24
F 7-16 R 11.2-24	F 9.5x16 R 14.9x24	F 9.5x16 R 14.9x24	F 9.5x16 R 14.9x24	F 9.5x16 R 14.9x24	F 11.2-24 R 16.9-30
F 28x8.5-15 R 41x14-20	F 12x16.5 R 16.9x24	F 12x16.5 R 16.9x24	F 12x16.5 R 16.9x24	F 12x16.5 R 16.9x24	F 12.0 - 20.5 R 22.4-25.5
F - 10-16.6 R - 43x16	F - 12x16.5 R- 16.9x24	F - 12x16.5 R- 16.9x24	F - 12x16.5 R- 16.9x24	F - 12x16.5 R- 16.9x24	n/a
Standard	n/a	n/a	Standard	Standard	Standard
Standard	n/a	n/a	Standard	Standard	Standard
Standard	n/a	n/a	Standard	Standard	Standard
Standard	n/a	n/a	Standard	Standard	Standard



A FULL LINE OF HIGH-QUALITY 3-PT EQUIPMENT



Box Blades



Angle Frame Disc Harrows



Dump Trailers



Landscape Rakes



Rear Blades



Rotary Cutters



Rotary Tillers



Land Planes



Finish Mowers



Box-Frame Disc Harrows





ADDITIONAL ATTACHMENTS, TRAILERS & ACCESSORIES



RK by Top Dog Granite Grapples
54", 60", 72" & 84"



Transport Trailers



Skid Steer Quick Attach Pallet Forks
& Bale Spears



3rd Function Valve Kits for all Models

Also available: Boom poles, bucket spikes, 3-pt bale spears, pallet forks, cultivators, carry-alls, sub-soilers & trailer movers

	RK21H	RK24H	RK25H	RK37 SERIES	RK55 SERIES	RK74 SERIES
LOADER SPECS	L72	L75	L85	L102	L110	L135SL
Maximum lift height to bucket pivot pin, in.	71.3	75.3	87.2	102.3	109.1	135.5
Lift capacity to maximum height at pivot pin, lb.	617	947	1,380	2,116	2,478	3,223
Breakout force at ground level, pivot pins, lb.	1,285	1,680	2,059	3,435	4,938	5,335
Dumping clearance, in.	53.1	57.4	65.0	77.4	80.8	104.3
Dumping reach at maximum lift height, in.	28.3	24.9	26.5	23.2	21.4	21.4
Maximum dump angle, degrees	38	38	47	40	45	53
Reach with bucket on ground, in.	52.4	51.3	57.7	67.2	73.1	85.4
Bucket rollback angle, degrees	20	20	30	30	35	35
Digging depth, in.	3.9	4.1	3.8	4.4	4.1	7.7
Bucket width, in.	48.0	50.0	60.0	62.0	72.0	84.0
Total Weight Loader w/bucket, lb.	470	481	679	1,052	1,261	1,889
Weight of Bucket, lb.	123	132	176	326	348	399
Bucket Capacity, cu/ft.	4.9	5.3	5.7	10.4	11.2	13.8
Bucket connection type	Skid-Steer Quick Attach	Skid-Steer Quick Attach	Skid-Steer Quick Attach	Skid-Steer Quick Attach	Skid-Steer Quick Attach	Skid-Steer Quick Attach
Bucket level indicator	n/a	n/a	Standard	Standard	Standard	Standard

	RK24H	RK25H	RK37 SERIES	RK55 SERIES
BACKHOE SPECS	BH6.5	BH6.7	BH7.5	BH8.5
Mechanical Thumb	Standard	Standard	Standard	Standard
Digging Depth (two foot flat bottom)	77"	80.4"	91.2	103.2"
Bucket cylinder digging force	2,050 lbs	2,844 lbs	4,554 lbs	4,435 lbs
Dipperstick digging force	1,256 lbs	1,874 lbs	2,530 lbs	2,694 lbs
Reach from center line of Swing Pivot	98"	118"	123.6"	134.4"
Loading Height (bucket at 60°)	60"	63"	90.0"	92.4"
Swing Arc	140°	180°	180°	180°
Transport Height (maximum)	66"	81"	85.2"	91.2"
Transport Overhang	38"	51"	46.8"	50.4"
Bucket Rotation	185°	180°	149°	151°
Stabilizer Spread (down position)	86"	90"	88.8"	88.8"
Stabilizer Spread (up position)	50"	73"	68.4"	68.4"
Angle of Departure	21°	21	21°	21°
Shipping Weight	725 lbs	1,080 lbs	1,340 lbs	1,500 lbs
Standard Bucket Width	12"	12"	16"	18"
Available Bucket Sizes	9",12",16"	9",12",16", 18",24"	9",12",16", 18",24"	9",12",16", 18",24", 36"



	RK21H	RK21H	RK24H	RK25H
MID-MOUNT MOWER SPECS	M48	M54	M60	M60-RK25
Type	Side discharge	Side discharge	Side discharge	Side discharge
Number of blades	3	3	3	3
Mounting method	Parallel linkage	Parallel linkage	Parallel linkage	Parallel linkage
Cutting width	48"	54"	60"	60"
Cutting height range	1.0"-4.0"	1.0"-4.0"	1.0"-4.0"	1.0"-4.0"
Adjustment of cutting height	Dial gauge	Dial gauge	Dial gauge	Dial gauge
Transport height	5.12"	5.12"	5.6"	5.6"
Wheels	4	4	4	4
Weight	176 lbs.	205 lbs.	272 lbs.	272 lbs.

3-POINT EQUIPMENT, ATTACHMENTS & TRAILERS



BOX BLADES

DESCRIPTION

- RK 4' XB BOX BLADE
- RK 5' PRO BOX BLADE
- RK 6' PRO BOX BLADE
- RK 7' PRO BOX BLADE



DUMP TRAILERS

DESCRIPTION

- RK 1.5 TON DUMP TRAILER/W PUMP



REAR BLADES

DESCRIPTION

- RK 5' XB REAR BLADE
- RK 6' PRO REAR BLADE
- RK 7' PRO REAR BLADE
- RK 7' 5500 REAR BLADE



ROTARY TILLERS

DESCRIPTION

- RK 4' XB TILLER
- RK 4.5' XBX TILLER
- RK 5' PRO TILLER
- RK 6' PRO TILLER
- RK 7' PRO TILLER



FINISH MOWERS

DESCRIPTION

- RK 5' REAR DISCHARGE
- RK 6' REAR DISCHARGE



LANDSCAPE RAKES

DESCRIPTION

- RK 5' XB YARD RAKE
- RK 6' LANDSCAPE RAKE
- RK 7' LANDSCAPE RAKE
- RK 8' LANDSCAPE RAKE



ROTARY CUTTERS

DESCRIPTION

- RK 4' XB KUTTER
- RK 4' FLEX HITCH KUTTER
- RK 5' FLEX HITCH KUTTER
- RK 6' FLEX HITCH KUTTER



DISC HARROWS

DESCRIPTION

- RK 5' XB DISC
- RK 6.5' ANGLE FRAME
- RK 6.5' BOX FRAME
- RK 7.5' ANGLE FRAME



LAND GRADERS

DESCRIPTION

- RK 6' LAND GRADER
- RK 7' LAND GRADER

ADDITIONAL ATTACHMENTS, TOOLS, AND IMPLEMENTS

DESCRIPTION

- RK BALE MOVER
- RK BALE SPEAR
- RK BOOM POLE
- RK BUCKET SPIKE
- RK CARRY ALL
- RK CULTIVATOR
- RK MIDDLE BUSTER
- RK XB SUBSOILER
- RK HD SUBSOILER

CARRY-ON® TRANSPORT TRAILERS

DESCRIPTION

- 7 X 20 DUAL BRAKE TRAILER



G54 - G60 - G72 - G84




GRANITE GRAPPLE

	RK24 & RK25	RK37	RK37 & RK55	RK74
GRAPPLE SIZE	54"	60"	72"	84"
Length	55"	60.5"	72.5"	83.5"
Width	25"	25.2"	25.5"	25.5"
Height	35.75"	35.75"	35.75"	35.75"
Weight	235 lbs	390 lbs.	540 lbs.	625 lbs.
Max Opening	40.5"	40.25"	40.25"	40.25"
SKU	13578118	13578116	13578114	13578120

The RK by Top Dog Granite Grapples come in four working widths to match up with our 21 to 74HP tractors, as well as other comparable tractors with a skid-steer compatible quick attach loader and 3rd function capability. Developed in a partnership with Minnesota-based Top Dog Attachments, the Granite Grapple makes clearing brush, moving logs and pulling up tree roots a quick and easy process. The unique design includes heavily reinforced teeth that do not require a cross piece support, allowing dirt to pass through rather than build up in the teeth.

TS BRUSH GRAPPLE



	RK37	RK37 & RK55 & RK74
GRAPPLE SIZE	60"	72"
Length	60"	72"
Width	35.6"	35.6"
Height	24.25"	24.25"
Weight	499 lbs.	548 lbs.
Max Opening	30.75"	30.75"
SKU	13578119	13578121

3RD FUNCTION DIVERTER VALVE KITS*	RK21	RK24	RK25	RK37	RK55	RK74
Loader Model	L72	L75	L85	L102	L110	L135
SKU	212160078	212160079	212160081	212160080	212160082	212160083

*For use on RK Tractors only - For other tractor brands, see you local dealer. **3rd Function Valve Kit installation charge not included.



SEE RK TRACTORS PUT TO WORK
CHECK US OUT ON YOUTUBE AT RURAL KING!



FIELD-READY

TURF-READY

ROAD-READY

SNOW-READY

R14T CROSSOVER TIRE FINALLY... A TIRE AS VERSATILE AS YOUR COMPACT TRACTOR

Combining the benefits of ag, turf and industrial tire tread designs so you can perform a variety of jobs year-round without changing tires.



Radial tire shown



AGRICULTURE
GRIPPING INNOVATION
FRESH FROM THE FIELD



TURF
DEPENDABLE TRACTION
WITH MINIMAL PRESSURE



INDUSTRIAL
THE NEXT GENERATION
OF VERSATILITY

Available in LSW® and standard size ranges for sub-compact tractors up to 150 HP tractor models.



UPGRADE YOUR COMPACT TRACTOR TODAY!



PARTS



DELIVERY



BROCHURES



WHERE TO BUY



COMPATABILITY



BEST TRACTOR FOR YOU?



click here



may I help you?



SERVICE



MANUALS



PRICING



VIDEOS



FINANCING



GENERAL QUESTIONS



ask the
RK TRACTOR GUY
asktherktractorguy.com

Are you an RK Tractor owner or just thinking about becoming one and have a question for us? Visit asktherktractorguy.com or click on the "Ask The RK Tractor Guy" link on rktractors.com and tell us how we can assist. Need a part, manual, have a question about operating your tractor, compatibility with implements, accessories, attachments, maintenance or repair support? Have a question about prices, where to buy, availability, what tractor is best suited for your needs, financing, delivery? Ask us anything you want and we will get you the info you need, whether you are an RK Tractors owner or someone just considering becoming one.

Protect your investment*** by performing regular tractor maintenance at prescribed intervals. Pick up what you need at your RK Tractors store location or schedule service with us and we will take care of it for you.

RK21H & RK24H & RK25 SUB-COMPACT TRACTORS

SKU	DESCRIPTION	UNIT
212160364	Fuel Filter	EA.
212160358	Engine Oil Filter**	EA.
212160308	Hydrostatic Filter	EA.
212160352	Air Filter	EA.
212160334	Hydraulic Suction Strainer	EA.
212160374	Fuel/Water Separator	EA.
3262304	Engine Oil**	QT.
3261927	Transmission Oil**	GAL.
3261053	Front Axle Oil**	QT.
65240533	Battery	EA.

RK55 SERIES TRACTORS

SKU	DESCRIPTION	UNIT
212160380	Fuel Filter	EA.
212160370	Engine Oil Filter**	EA.
212160532	Hydraulic Filter Gear**	EA.
212160896	Hydraulic Filter HST**	EA.
212160558	Primary Air Filter	EA.
212160560	Secondary Air Filter	EA.
212160378	Fuel/Water Separator	EA.
496240288	Cab Air Filter (2 Per Tractor)	EA.
3262304	Engine Oil**	QT.
3261927	Transmission Oil**	QT.
3261176	Front Axle Oil**	GAL.
3261053	Front Axle Oil	GAL.
65240177	Battery	EA.

RK37 SERIES TRACTORS

SKU	DESCRIPTION	UNIT
212160380	Fuel Filter	EA.
212160370	Engine Oil Filter**	EA.
212160894	Hydrostatic Oil Filter HST**	EA.
212160502	Hydraulic Suction Strainer	EA.
212160378	Fuel/Water Separator	EA.
212160392	Primary Air Filter	EA.
212160394	Secondary Air Filter	EA.
496240288	Cab Air Filter (2 Per Tractor)	EA.
3262304	Engine Oil**	QT.
3261927	Transmission Oil**	QT.
3261176	Front Axle Oil**	GAL.
3261053	Front Axle Oil	GAL.
65240177	Battery	EA.

RK74 SERIES TRACTORS

SKU	DESCRIPTION	UNIT
496241276	Fuel Filter	EA.
496241280	Spin On Fuel Filter	EA.
496241272	Engine Oil Filter**	EA.
496241378	Hydraulic Filter (2 Per Tractor)	EA.
496241414	Air Filter Inner	EA.
496241416	Air Filter Outer	EA.
212160378	Fuel/Water Separator	EA.
496240288	Cab Air Filter (2 Per Tractor)	EA.
3262304	Engine Oil**	QT.
3261930	Transmission Oil**	QT.
3261189	Front Axle Oil**	GAL.
65240342	Battery	EA.

*Prices are subject to change without notice and do not include sales tax (if applicable).

**Replace item when engine hours reach 50.

*** Maintain receipts or evidence that regular maintenance was performed per manufacturer prescribed intervals to maintain limited warranty eligibility.

GENERAL CHECK POINTS MAINTENANCE TABLE:

Please note: This table applies to all RK Tractor models. We recommend that you consult the operator's manual for information on your specific model.

RK TRACTORS PERIODIC CHECK AND SERVICE TABLE* - ALL RK TRACTOR MODELS																
AREA	ITEM	DAILY	SERVICE INTERVAL - ENGINE HOURS												ANNUAL	
			50	100	150	200	250	300	350	400	450	500	550	600	1 YR.	2 YR.
ENGINE	Engine Oil & Filter	○	●					●					●			
	Air Cleaner	○		Δ				●			Δ		●			
	Radiator Coolant	○														●
	Fuel	○														
	Fuel Filter	○										●				
	Fan Belt	○														
	Battery	○		○												
	Loose Nuts & Bolts	○														
CHASSIS	Radiator Hose Clamp	○														
	Transmission Oil & HST Filter		●					○					●		●	
	Front Axle Oil		●					○					●		●	
	Fuel Stainer		Δ						Δ							
	Brake Pedals	○														
	Level Operation	○														
	Steering Wheel Free Rotation	○														
	Toe-In							○						○		
	Grease - Front Wheel Hub							○								
	Steering Joint	○														
	Wheel Nut Torque	○														
	Loose Nuts & Bolts	○														
	Instrumentation	○														
	Grease Zerks		●	●	●	●	●	●	●	●	●	●	●	●		
	Electrical Wiring	○														
	Hydraulic Hoses & Connectors							○								

* These intervals are for operation under normal conditions, and require greater frequency in high-demand applications

KEY TO SYMBOLS

- Check, Top-Off or Adjust
- Δ Clean
- Replace
- Critical Maintenance

RK TRACTORS MAINTENANCE CHECK POINTS DAILY MAINTENANCE CHECKPOINTS:

- Tire Pressure, wear damage
- Oil and transmission oil, radiator and recovery tank, coolant and fuel level
- Damage to tractor body, tightness of all bolts, nuts, and pins
- Implement and accessory blades and belts for wear and damage
- Parking brake, speed control lever, all safety switches, and easy checker functions
- Abnormal noise or vibrations
- Daily cleaning - radiators screen and core, panel and hood screens, air cleaner primary element



QUALITY. PERFORMANCE PRICE.

8YEAR LIMITED POWERTRAIN WARRANTY

*This brochure is for descriptive purposes only. All competitive comparison information is based on information published by third parties, and is subject to constant change. Similarly, RK Tractors reserves the right to change the stated specifications, prices and information without notice. Suggested product prices are estimated with variable product options selected at MSRP, and special pricing may be available on certain models of competitors. Please consult your local dealers as needed to determine actual configuration prices. All Prices shown are estimates and will vary based on final product selections and potentially location. Some items shown may be optional and some products shown may not be available at all locations. Prices are in U.S. dollars. RK Tractors disclaims all representations and warranties, express or implied, and any liability from the use of this brochure. For complete warranty, safety and product information, consult your local RK Tractor dealer and request the operator's manual. Power (HP) and other specifications are based on various standards or recommended practices. For your safety, RK Tractors strongly recommends the use of a Rollover Protective Structure (ROPS) and seat belt in almost all applications.

About RK Tractors

RK Tractors are made in South Korea by TYM, manufacturers of compact tractors for leading U.S. tractor brands, and feature best-in-class Yanmar (21-55HP) and Deutz (74HP) diesel engines. Final assembly takes place in Waverly, OH, Williston, FL, and Vandalia, IL. RK by King Cutter 3-Pt. equipment is made by King Cutter in Winfield AL, and tires & wheels are made by midwest-based and industry leader Titan International. RK provides full service at every RK Tractor location, zero down payment financing for up to 84 months, tractor delivery (for a fee) and an industry leading 8-year limited powertrain (21-55HP) and 5-year limited powertrain (74HP) warranty. We can offer fully-loaded, premium tractors at very low prices because we buy directly from the manufacturer. We can proudly say that you will not find a better value in sub-compact, compact or utility tractors anywhere.

RKTRACTORS.COM